

PRODUCT LIST

- HEAD UP DISPLAY 01
- OBD II FAN CONTROLLER 01
- AUTO CRUISE..... 02
- 7-DRIVE 02
- 0-400 VELOCITY METER 03
- VSD V WITH VOLTMETER 04
- VSD III..... 04
- DIGITAL VOLTMETER 05
- VOLTAGE STABILIZER 06
- VOLTAGE STABILIZER II 06
- AUTO TIMER 07
- AUTO TIMER II 07
- OIL COOLER 08
- ATF COOLER..... 08
- ASHTRAY 08
- SEAT BELT FOR RACING 09
- BALL-LOCKED SYSTEM STEERING WHEEL QUICK-RELEASE 09
- AIR CAP..... 09
- OIL CATCH TANK 10
- BREATHER TANK 10
- PRESSURE REGULATOR VALVE 11
- SUPER EARTH 11
- RESERVOIR COVER..... 12
- RADIATOR CAP 12
- MANUAL GEAR LEVER KNOB AND HAND..... 13
- HAND BRAKE HANDLE 13
- LEATGER LEVER BOOT..... 13
- ANTENNA FOR DECORATION..... 13
- HEPTAGON GUARD NUT..... 14
- HEPTAGON RACING NUT (2 color)..... 14
- HEPTAGON ANTI-STOLEN RACING NUT..... 15
- HEX SOCKET RACING NUT 15
- BRAKE KIT..... 16
- SUSPENSION SYSTEMS 17
- RACING GAUGE..... 18
- RACING SEAT..... 19
- AIR FILTER..... 20

HEAD UP DISPLAY ヘッドアップディスプレイ No.D1S-045



Easy installation with OBD II

デジタルと図は容易に見分ける
 水温のデータを示す/電圧のデータ
 スピード・オーバーで色の変化を提示する
 スピードのデータを提供する/エンジンの回転スピードのデータ

- To provide for speed & R.P.M, information
- To provide for water temperature & voltage information
- Over speed warning by variable light color
- Easy to discern with digital & graphic appearing



OBD II FAN CONTROLLER イージー リンク II No.D1V001

FEATURE



多機能デジタル・メーター
 レブランプ
 ファンスイッチコントローラ
 自分でファススイッチコントローラの温度を設定できる
 いつまでも、マイカーの水、油温度を握る

Combining fan controller, speed, rpm, intake temp,
 water temp, volt multiple functions.

Easy installation with OBD II and with strong function
 of 6 in 1 are definitely your excellent driving helper.



Auto Cruise 定速運転 No.D1S-047



ECO.Easy Driving
省エネルギー
運転しやすい
●Breakthrough
performance●



Auto Cruise · Easy Driving

4 mode · Sport · Normal · ECO · Auto Cruise
12 steps · SP 7 steps, nor single step, Ec 5 steps.

- Suitable for mountain & racing in very sensitive throttling.
- Suitable for driving in city within economic fuel consumption.
- SP, nor, Ec 3modes.
- SP 7 steps, nor single step, Ec 5 steps.
- Power interruption memory embedded.
- Easy setup with specific harness(sold separately)
- Corresponding to a wide range car models.
- Increasing fuel efficiency by control throttle opening rate.



0-400 VELOCITY METER 0-400多機能ベロシティメータ

No.D1S-039



Auto Measurement for 0-400 Meters
Auto Measurement of Acceleration Time for Set Distance from Stop Position

Real Time Display and Peak Display

Display can be changed with just one touch to show actual values and peak values for speed.

Speed Display

Maximum 350 km/h; Highly Accurate Display in Units of 1 km/h.

Speed Limiter Remover Function

Remove 180 km/h (140 km/h for Kei Cars) Speed Limiter

7-DRIVE 7-DRIVEスロットルコントローラー No.D1S-044



SPORTS MODE レスポンスが高くなるスポーツ状態。(サーキットや山道などで最適)
Suitable for mountain & racing in very sensitive throttling.

ECO MODE レスポンスの低いエコ運転状態。(市街地など低燃費走行に最適)
Suitable for driving in city within economic fuel consumption.

NORMAL MODE 純正状態のレスポンス。
SP, nor, Ec 3modes.

ワンタッチで選べる 3モード12段切換。(スポーツ=7段 ECO=5段切換)
SP 7 steps, nor single step, Ec 5 steps.

ボルタ性能 "MODE" ボルンを長押し、電源OFFになれば、ボルタ計モードに自動的になる
Voltmeter

スピード超過警告性能 "ボルタ計モード" で "OSPI" ボルンを押し、スピード超過警告モードを調整する
Over speed warning


急加速事故回避性能 ブレーキを踏むと、燃料輸出を停止する。アクセルを踏まないかぎり、アクセルを作用しないように。
Avoiding from unintended acceleration. Brake system priority.

キーON時モード キーON時、前回モードまたはノーマル開始が記憶で選択可能。
Power interruption memory embedded.

簡単取付 装着は車種別専用ハネス (別売) で簡単取付。
Easy setup with specific harness(sold separately)

汎用タイプ クルマごと初期設定を行えば幅広い車種に対応可能。
Corresponding to a wide range car models.

アクセルモニター アクセルの踏み込み量を表示し、踏み込み過ぎによる燃費悪化を防止。
Increasing fuel efficiency by control throttle opening rate.



7-DRIVE SPECIAL CABLE SET

No.D1S-026-1	No.D1S-026-2	No.D1S-026-3	No.D1S-026-4
TOYOTA(PRIUS, PRADO, MARK X, HIACE), LEXUS(GS350, GS460), SUBARU (FORESTER, LEGACY) MITSUBISHI(GROUNDER, COLT PLUS), SUZUKI(ALTO, CERVO, WAGONR, SWIFT)	TOYOTA(YARIS, BELTA, AURIS, ALLION), LEXUS(IS250, IS350) MAZDA(M2, MPV)	TOYOTA(WISH, ISIS, CALDINA, BREVIS), NISSAN(Z350, ELGRAND, SKYLINE)	HONDA(CIVIC, CRV, STREAM, ACCORD)
No.D1S-026-5	No.D1S-026-6	No.D1S-026-7	No.D1S-026-8
NISSAN(MARCH, TIIDA, CARAVAN, CUBE, NOTE)	MITSUBISHI (LANCER EVOLUTION, DELICA)	HONDA(FIT, FREED, INSIGHT)	BMW, BMW MINI
No.D1S-026-9	No.D1S-026-10	No.D1S-026-12	No.D1S-026-14
AUDI, VW	VOLKSWAGEN	TEANA 2.3, SAAB	FOCUS, MAZDA 3
No.D1S-026-1B		No.D1S-026-1C	
SUBARU(FORESTER, LEGACY)		MITSUBISHI(GROUNDER, COLT PLUS)	

VSD 5 WITH VOLTMETER 電圧ブースタ五代目付電圧計 No.D1S-024-2



16V~18V
4缸6缸通用品



簡単取付、多い配線不要だ! 電圧出力は16V~18Vに自由調整! 点火力UP、完全燃焼を実現
熱い場合抵抗アツプ、 燃費向上率18~25% トルクとレスポンスは大幅アップ
100%性能発揮は保証! 点火システム目覚める H/C/O等有害気体量低減

The 16V has been an unsatisfactory standard to the customers who chase ultimate performance. Because of this, we present the new generation VSD 5. This product can increase the voltage up to 18V. Consumers can adjust the output voltage from 15.8V~18V depends on different needs and situations. This product has LED Voltage Display Device so that the customers can see the condition of VSD at one glance.

VSD III 電圧ブースタ 三代目 No.D1S-023



Ignition system wake up

It increases the original 12V up to 16V. It can provide enough electricity even under huge power consumption situation. The ignition becomes better and easier.

Decrease oil wasting effectively

Burning efficiency becomes better after the ignition performance is promoted. Using every drop of gasoline effectively can decrease oil wasting up to 20%.



D1 SPEC SPECIAL CABLE for VSD

No.D1S-V001	No.D1S-V002	No.D1S-V003	No.D1S-V004
TOYOTA(ALTIS, CARMY 2.0, WISH, VIOS, YARIS) DAIHATUS TERIOS 1.5	NISSAN(SENTRA 180, M1, X-TRAIL, TIIDA, TEANA 2.0, SYLPHY) MAZDA3 1.6	MAZDA6 2.3	MAZDA3 2.0, FORD (FOCUS 1.8 FOCUS 2.0)
No.D1S-V005	No.D1S-V006	No.D1S-V007	No.D1S-V008
HONDA (CIVIC K10 1.7 CIVIC K12 2.0, ACCORD K9 2.0, CRV 2.4)	HONDA (CIVIC K12 1.8, CRV 2.4, FIT)	NISSAN (CEFIRO 2.0 / 3.0, TEANA 2.3 / 3.5)	FORD (MAV, TIERRA 1.6 / 2.0) MAZDA (323 1.6 PREMACY 2.0)
No.D1S-V009		No.D1S-V010	
MITSUBISHI(LANCER 97' / VIRAGE 97' / SAVRIN 97'), SUZUKI(SOLIO, SWIFT, JIMNY)		MITSUBISHI (Fortis)	

DIGITAL VOLTMETER デジタル電圧計

D1 Spec Digital Voltmeter can show the volt value at once in digital way. It's easier to determine the correct volt value than traditional analog voltmeter. It wins a fast reaction time and count exquisitely. It's necessary item which can help you to know the situation of car at once.



VOLTAGE STABILIZER 電圧安定装置 No.EB007



40000µ power up



FEATURE

1. To improve audio quality.
2. To increase torque and response and power.
3. To stabilize idling and improve engine kick over.
4. To increase headlight brightness.
5. To improve fuel economy.
6. To improve battery.

VOLTAGE STABILIZER II 電圧安定装置 二代目




No.EB007G-1



No.EB007A

FEATURE



AUTO TIMER オートタイマーマーク N/A TURBO

1. It can help you to protect the engine from destroy or damage because of overheat.
2. It can auto-set the time of engine died, and it can also set the time of engine died on your mind.
3. It owns small volume and never occupy too much space.
4. Without any complicated wiring.

BLACK No.D1S-017G



SILVER No.D1S-017C



AUTO TIMER II オートタイマーマーク 二代目 No.D1S-018



Upgraded in every way from the previous model, the D1-SPEC Auto Timer can automatically determine the necessary amount of afteridling time. A Manual Mode allows the user to preset desired idling times from 0 sec.~10 minutes in 16 increments. By inputting O2 sensor voltage, the D1-SPEC Auto Timer can also display theoretical air fuel ratio. Since the Auto Timer uses the factory O2 sensor which is primarily designed for emissions, the readings may not be as accurate as racing air/fuel ratio monitors. The Timer can also display critical data such as O2 sensor voltage and Battery Voltage. To prevent potential theft while running, the handbrake safety feature shuts off the vehicle when the handbrake is released without the ignition key.



最適時間動いてエンジンがいい
不要なアイドリングをしないから地球環境がいい
不要なアイドリングをしないから燃費がいい
近所の騒音を少なくできる



OIL COOLER オイルクーラー

オーバーヒット退治にエンジンを守る

- 11ROW, 330mmX110mmX50mm
- 15ROW, 330mmX140mmX50mm
- 19ROW, 330mmX170mmX50mm
- with Direct Type Adapter & Oil Tube
- with Double-angled Type Adapter & Oil Tube
- with External Type Adapter & Oil Tube



**Oil cooler
No.D1S-014-1**



**Direct type
Adapter &
Oil Tube**
Braided with
Steel & Joint
of Oil Tube

**Oil cooler
No.D1S-014-2**



**Double-angled
Adapter &
Oil Tube**
Braided with
Steel & Joint
of Oil Tube

**Oil cooler
No.D1S-014-3**




**External type
Adapter &
Oil Tube**
Braided with
Steel & Joint
of Oil Tube

ATF COOLER ATFクーラー

1. In addition to transmission coolers, D1-spec ATF cooler is suitable as engine, power steering & differential fluid coolers.
2. Wide range of sizes are available. suitable for any application.
3. These are the most efficient coolers by size & weight you can buy.
4. More efficient than ordinary tube & fin coolers.
5. Rigid "Stacked Plate" design is resistant to damage from flying debris.
6. All aluminum brazed construction provides superior strength, light weight & minimum size.
7. All coolers are pressure tested to 200 PSI.

LINE 15 ◆ No.D1S-013
LINE 27 ◆ No.D1S-014



BALL-LOCK SYSTEM STEERING WHEEL QUICK-RELEASE

ステアリング ホイール アダプター ボールロックシステム

1. Preventing the steering wheel from stealing.
2. Taking off the steering wheel quicker and easier.
3. Gaining more powerfull looking and feeling.



D1S-002A D1S-002B D1S-002C D1S-002D D1S-015C D1S-015G

BALL-LOCK SYSTEM STEERING WHEEL QUICK-RELEASE CHROME BLACK D1S-002CB



4 Point SEAT BELT FOR RACING シートベルト



RED ◆ NO.A615A

BLUE ◆ NO.A615B

BLACK ◆ NO.A615G



It provide drivers with the latest in technology, esign and safety. It uses special webbing that is flexible for driver comfort and to fight fatigue. With a wide variety of colors and mounting options, you are sure to find the perfect racing seat belt for you.

OIL CATCH TANK オイルキャッチタンク

Oil Catch Tank may recycle the waste oil gas which not yet completely burns to avoid reburning, decrease carbon accumulation and promote the response of ignition system.

- RED **No.D1S-008A**
- BLUE **No.D1S-008B**
- SILVER **No.D1S-008C**
- TAI **No.D1S-008D**
- BLACK **No.D1S-008G**



OIL CATCH TANK WITH AIR FILTER

Air filter, strengthening the flow and stop sucking hot air from engine.



- RED **No.D1S-008A-1**
- BLUE **No.D1S-008B-1**
- SILVER **No.D1S-008C-1**
- TAI **No.D1S-008D-1**
- BLACK **No.D1S-008G-1**

OIL CATCH TANK オイルキャッチタンク



カーボンとスラッジを排除する、エンジン内部をクリーン!

- Carbon fiber, lightweight
- Clear braided hose with hose clamps
- Sight tube for monitoring the oil level.
- Universal mounting bracket attached for easy installation.
- Mounts vertically or horizontally.

CARBON **No.D1D002**



430cc

PRESSURE REGULATOR VALVE オイル圧力調整弁

No.D1S-016


This product can control the fuel pressure and adjust the amount of injection of fuel injector of original factory vehicle. It can improve the gasoline nebulization much better. It can stabilize the oil feeding and normalize the oil and gas mixture ratio. It also can avoid engine knock due to suddenly high rotation rate. This product can control the oil pressure range between 200~800kpa. The filter is hidden inside the valve to prevent anything to go into main body and to cause unstable oil pressure. The front hole not only can install the oil pressure gauge, but also can adjust best pressure value for different volume of injection nozzle.

霧化効果UP!!



BREATHER TANK ブリーザータンク

No.D1S-007



The Breather Tank is made of aluminum and suitable for all kinds of cars. It can eliminate the air bubbles because of the overheating to reduce the temperature. It has beautiful external and light weight design.

RESERVOIR COVER オイルバンド



オイルバンド

オイルタンクにエンジン室で取り付けられ、走行ときに液漏れを吸収するバリエーション豊富な魅力！

1. Prevent from Fluid leakage from brake and clutch reservoir
2. Protect master reservoirs from engine fire
3. Make engine bay attractive!


リストバンド

運動が傷つけることを免れ、手首を保護します水分コントロール…汗による水分を素早く吸収、外部へ発散し、アスリートの身体を常にドライに保ちます。Protecting wrist from sports injuries.

- BLACK** No.D1-SH001
- BLUE** No.D1-SH002

SUPER EARTH 負極接地線

- 4AWG** No.D1S-001
- 8AWG** No.D1S-001-1



1. The ignition system become better.
 2. Strengthen up the generate power.
 3. Increasing illuminance of headlight.
 4. Decreasing the interference of sound quality.
1. 99.9%super low impedance copper wires.
 2. Decreasing the interference and protect the wire.
 3. It can improves the performance.
 4. Bend-resistant and high heat-resistant.



RADIATOR CAP ラジエターキャップ

Owns high pressure gauge to support higher pressure caused by overheat. Uses high anti-rust ability stainless cover. It increase the lasting on the product. Uses high corrosive, better resilience, and high heat tolerance silicon.



1.1 bar	B	No.D1S-008A-61S
RED	S	No.D1S-008A-63S
BLUE	B	No.D1S-008B-61S
	S	No.D1S-008B-63S
SILVER	B	No.D1S-008C-61S
	S	No.D1S-008C-63S
TAI	B	No.D1S-008D-61S
	S	No.D1S-008D-63S
BLACK	B	No.D1S-008G-61S
	S	No.D1S-008G-63S

1.3 bar	B	No.D1S-009A-61S
RED	S	No.D1S-009A-63S
BLUE	B	No.D1S-009B-61S
	S	No.D1S-009B-63S
SILVER	B	No.D1S-009C-61S
	S	No.D1S-009C-63S
TAI	B	No.D1S-009D-61S
	S	No.D1S-009D-63S
BLACK	B	No.D1S-009G-61S
	S	No.D1S-009G-63S

AIR CAP エアロックキャップ



MANUAL GEAR LEVER KNOB AND HAND BRAKE HANDLE

Each shift knob is covered with carbon fiber. Each shift knob is marked "D1-Spec" logo on both sides.



No. D1S-011-3



No. D1S-011-4



No. D1S-011-4



No. D1S-012G

Each shift knob is treated with chromate to raise high quality. Each shift lever knob is marked "D1-Spec" logo on both sides.

HAND BRAKE HANDLE

ハンドブレーキ No. D1S-011-6G

Hand brake handle is covered with carbon fiber. Head brake handle is marked "D1-Spec" logo on both sides.



ANTENNA FOR DECORATION

アンテナ



BLACK No. A317G
SILVER No. A317C



BLACK No. A318G
SILVER No. A318C



BLACK No. A319G
SILVER No. A319C

ASHTRAY 灰皿



No. A025-1A



No. A025-1B



No. A025-1C



No. A025-1D



No. A025-1G

LEATHER LEVER BOOT

No. D1S-046



BATTERY HOLDER



SMALL 150x46mm	RED	S No. D1S-052A B No. D1S-053A
BIG 203x46mm	BLUE	S No. D1S-052B B No. D1S-053B
	SILVER	S No. D1S-052C B No. D1S-053C
	PURPLE	S No. D1S-052F B No. D1S-053F

HEXAGON GUARD NUT

六角レーシングナット



RED	P1.25 No. D1S-010-1A P1.50 No. D1S-011-1A
BLUE	P1.25 No. D1S-010-1B P1.50 No. D1S-011-1B
SILVER	P1.25 No. D1S-010-1C P1.50 No. D1S-011-1C
TAI	P1.25 No. D1S-010-1D P1.50 No. D1S-011-1D
BLACK	P1.25 No. D1S-010-1G P1.50 No. D1S-011-1G



P1.25 is suitable for NISSAN, SUBARU, SUZUKI, MAZDA
P1.5 is suitable for HONDA, MITSUBISHI, FORD, TOYOTA, HYUNDAI.

HEXAGON GUARD NUT 六角レーシングナット



- P1.25 No.D1S-010A**
P1.50 No.D1S-011A
- P1.25 No.D1S-010B**
P1.50 No.D1S-011B
- P1.25 No.D1S-010C**
P1.50 No.D1S-011C
- P1.25 No.D1S-010D**
P1.50 No.D1S-011D
- P1.25 No.D1S-010G**
P1.50 No.D1S-011G

P1.25 is suitable for NISSAN, SUBARU, SUZUKI, MAZDA
P1.5 is suitable for HONDA, MITSUBISHI, FORD, TOYOTA, HYUNDAI.



HEXAGON GUARD NUT 六角レーシングナット



- P1.25 No.D1S-010-2A**
P1.50 No.D1S-011-2A
- P1.25 No.D1S-010-2B**
P1.50 No.D1S-011-2B
- P1.25 No.D1S-010-2C**
P1.50 No.D1S-011-2C
- P1.25 No.D1S-010-2D**
P1.50 No.D1S-011-2D
- P1.25 No.D1S-010-2G**
P1.50 No.D1S-011-2G

P1.25 is suitable for NISSAN, SUBARU, SUZUKI, MAZDA
P1.5 is suitable for HONDA, MITSUBISHI, FORD, TOYOTA, HYUNDAI.



HEPTAGON GUARD NUT 鍛造七角レーシングナット

FEATURE



アルミ7075鍛造製成
超軽量、高強度、超硬質
特殊な七角の設計 見事だ！盗難防止は効します！
AL7075 forged.
Light weight, High strength, super hardness.
Heptagon design, antistolen.



- P1.25 No.D1S-031A**
P1.50 No.D1S-032A
- P1.25 No.D1S-031B**
P1.50 No.D1S-032B
- P1.25 No.D1S-031G**
P1.50 No.D1S-032G

P1.25 is suitable for NISSAN, SUBARU, SUZUKI, MAZDA
P1.5 is suitable for HONDA, MITSUBISHI, FORD, TOYOTA, HYUNDAI.



HEX SOCKET RACING NUT 六角軽量化レーシングナット

It increases the hardness of surface to Hv330, and it is 33.6% harder and 62% lighter than original maker.

Forged and made of Aluminum (AL7075)

- P1.25 No.D1S-050A**
P1.50 No.D1S-051A
- P1.25 No.D1S-050B**
P1.50 No.D1S-051B
- P1.25 No.D1S-050C**
P1.50 No.D1S-051C
- P1.25 No.D1S-050D**
P1.50 No.D1S-051D
- P1.25 No.D1S-050G**
P1.50 No.D1S-051G

P1.25 is suitable for NISSAN, SUBARU, SUZUKI, MAZDA
P1.5 is suitable for HONDA, MITSUBISHI, FORD, TOYOTA, HYUNDAI.



軽量化

UP Hardness **Hv330**
UP strength **33.6%**
UP Lightness **62%**

HEPTAGON ANTI-STOLEN RACING NUT 七角レーシングナット

FEATURE

The product is made of steel material. It has long lasting, and can't be destroyed easily. And the heptagon shape can decrease the stolen risk of the wheel. Each one weights only 28g, and it will not increase any weight to your car.



SILVER P1.25 ◆ 16pcs ◆ No.D1S-004C
P1.50 ◆ 16pcs ◆ No.D1S-003C

P1.25 ◆ 20pcs ◆ No.D1S-006C
P1.50 ◆ 20pcs ◆ No.D1S-005C

BLACK P1.25 ◆ 16pcs ◆ No.D1S-004G
P1.50 ◆ 16pcs ◆ No.D1S-003G

P1.25 ◆ 20pcs ◆ No.D1S-006G
P1.50 ◆ 20pcs ◆ No.D1S-005G



P1.25 is suitable for NISSAN, SUBARU, SUZUKI, MAZDA
P1.5 is suitable for HONDA, MITSUBISHI, FORD, TOYOTA, HYUNDAI.

HEPTAGON RACING NUT(2color) 七角レーシングナット

The product is made of steel material, has long lasting, and can't be destroyed easily. And the heptagon shape can decrease the stolen risk of the wheel. Each one weights only 28g, and it will not increase any weight to your car.



RED P1.25 ◆ No.D1S-033A
P1.50 ◆ No.D1S-034A

BLUE P1.25 ◆ No.D1S-033B
P1.50 ◆ No.D1S-034B

TAI P1.25 ◆ No.D1S-033D
P1.50 ◆ No.D1S-034D

BLACK P1.25 ◆ No.D1S-033G
P1.50 ◆ No.D1S-034G



P1.25 is suitable for NISSAN, SUBARU, SUZUKI, MAZDA
P1.5 is suitable for HONDA, MITSUBISHI, FORD, TOYOTA, HYUNDAI.

SUSPENSION SYSTEMS サスペンションシステム

Spring and cylinder will have a perfect match

- Cornering speeds are significantly improved and without worrying about over steering.
- To eliminate the excess bounce, when processing in the continuous holes will also have no recession, very stable.
- Different requirements for damper of hardness or softness can be adjusted as driver's wish to improve traffic safety, and will also increase fun of self-modification and self-adjustment.

Spring

- Can absorb the vibration energy when a car drives in a rough road
- Cold roll spring of SAE 9254 steel for anti-recession
- Spring rate: The front is 6 and the rear is 4 k / mm but customized available

Tubes

- Can absorb rebounding vibration which will be produced by spring when absorbed the above vibration to reduce the spring jumping and to stable the car body.
- S45C medium carbon steel
- Height adjustable
- Double cylinders structure
- Master cylinder will be warranted for one year

Damper

- Hardness or softness can be adjusted
- Germany damper special oil. And their anti-recession of oil will be better than others
- There are oil seal and dust-sheet to avoid damper oil leakage


Pillow Ball Mount

- To adjust the angle of the car undercarriage

- Can be used for racing or comfort.

- Regardless of your suspension system is MacPherson , Multi-link, Trailing Arm, or DOUBLE-WISHBONE, our suspension systems can match.











ISO certified



Need specific brochure, please call for more information. Thankyou.

RACING GAUGE レーシングゲージ

FEATURE ※60 SIZE : 60mm * 60mm * 55mm
※52 SIZE : 52mm * 52mm * 55mm


-  最大振角 270°
270° Full sweep - High resolution
-  細く長い指針に採用
Using slender indicator
-  夜間外周が赤く光
Self illumination ring at night
-  手元操作が可能
Control panel from distance
-  ピークリコール機能
Peak recall
-  ワーニング値を設定
Peak value setting
-  LED警告
Waring LED
-  多台まで接続可能
Multiple connection
-  自己診断機能
Automatic self calibration
-  8段階光量調節式で昼夜問わず視認性が良い
Each 8-stage backlight brightness dimmer setting for daytime and nighttime.



Sensor



Oil Filter Adapter for Pressure and Temperature Gauges



Dashboard Frame



Tee Joint for Heat Indicator



RACING SEAT レーシングシート

ADJUSTABLE FRP RACING SEAT



BLACK
LEFT ≧ No.D1S-040 RIGHT ≧ No.D1S-040-1
BLACK / RED
LEFT ≧ No.D1S-041 RIGHT ≧ No.D1S-041-1

TIE ROD RACING SEAT



BLACK
LEFT ≧ No.D1S-042 RIGHT ≧ No.D1S-042-1
BLACK / RED
LEFT ≧ No.D1S-043 RIGHT ≧ No.D1S-043-1

