

## NEW ITEM

\* 1/2" Impact Wrench

Free speed: 10,000rpm

Max torque: 500 ft-lb

Air inlet: 1/4"

Air pressure: 90 psi

6029 Head: 109mm(W) Body color: Red (Jumbo hammer)

6030 Head: 120mm(W) Body color: Black (Twin hammer)

6031 Head: 99mm(W) Body color: Blue (Jumbo hammer)



**1111**

### 1/2" Impact Wrench (Front Exhaust) 1/2" 槍型氣動扳手(前排)

- \* Free speed: 8,000 rpm
- \* Max. torque: 450 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 2.6 kg



1111

**1170**

### 1/2" Impact Wrench (Handle Exhaust) 1/2" 槍型氣動扳手(下排)

- \* Free speed: 7,000 rpm
- \* Max. torque: 450 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 2.6 kg

1170

**6018**

### 1/2" Heavy Duty Composite Impact Wrench 1/2" 塑鋼氣動扳手(強力型)

- \* Free speed: 6,500 rpm
- \* Max. torque: 900 ft-lb
- \* Air consumption: 4.8 cfm
- \* Sound pressure: 96.1dBA
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.95 kg



6018



**6022** 1/2" Heavy Duty Impact Wrench  
1/2" 槍型氣動扳手(強力型)

- \* Free speed: 7,200 rpm
- \* Max. torque: 1,000 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 2.6 kg



**6023** 3/4" Impact Wrench  
3/4" 槍型氣動扳手(輕型)

- \* Free speed: 7,200 rpm
- \* Max. torque: 1,100 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 2.64 kg



**1152** 1/4" Mini Ratchet Wrench  
1/4" 氣動棘輪扳手

- \* Free speed: 230 rpm
- \* Max. torque: 30 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.5 kg



**1153** 3/8" Mini Ratchet Wrench  
3/8" 氣動棘輪扳手

- \* Free speed: 230 rpm
- \* Max. torque: 30 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.5 kg

**6012****3/8" Stubby Ratchet Wrench**  
3/8" 氣動棘輪扳手 (迷你型)

- \* Free speed: 270 rpm
- \* Max. torque: 16 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.45 kg

**1154****1/2" Heavy Duty Ratchet Wrench**  
1/2" 氣動棘輪扳手

- \* Free speed: 150 rpm
- \* Max. torque: 45 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.17 kg

**1154B****1/2" Heavy Duty Ratchet Wrench**  
1/2" 氣動棘輪扳手

- \* Free speed: 160 rpm
- \* Max. torque: 55 ft-lb
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.14 kg

**6014****Reversible Drill**  
槍型正逆轉氣動鑽

- \* Free speed: 1,800 rpm
- \* Capacity of chuck: 10 mm
- \* Air consumption: 4 cfm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.9 kg

**6016****Angle Drill**  
彎頭氣動鑽

- \* Free speed: 1,800 rpm
- \* Capacity of chuck: 10 mm
- \* Air consumption: 3.5 cfm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.9 kg





**6020**

**Air Screwdriver**  
氣動起子

- \* Free speed: 9,000 rpm
- \* Hex size of bit: 1/4"
- \* Capacity of screw: M4/M5
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.8 kg



**6021**

**Air Screwdriver**  
槍型氣動起子


- \* Free speed: 13,000 rpm
- \* Hex size of bit: 1/4"
- \* Capacity of screw: M4/M5
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.9 kg



**1166**

**Air Hammer**  
190型氣動鎚

- \* Impact per min: 3,200 bpm
- \* Stroke length: 67 mm
- \* Chisel shank: Dia. 10.2 mm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.6 kg



**1167**

**Air Hammer**  
250型氣動鎚

- \* Impact per min: 2,100 bpm
- \* Stroke length: 89 mm
- \* Chisel shank: Dia. 10.2 mm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 2.0 kg



**6024**

**Angle Die Grinder**  
氣動刻模機 (90°)

- \* Free speed: 18,000 rpm
- \* Capacity of collet chuck: 1/4"
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.7 kg



**6007**

**Die Grinder**  
氣動刻模機

- \* Free speed: 22,000 rpm
- \* Capacity of collet chuck: 1/4"
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.6 kg



**6008**

**Die Grinder**  
氣動刻模機 (小型)

- \* Free speed: 25,000 rpm
- \* Capacity of collet chuck: 1/4"
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.4 kg



**6017**

**5" Extension Die Grinder**  
氣動刻模機 (5" 加長型)

- \* Free speed: 22,000 rpm
- \* Capacity of collet chuck: 1/4"
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 0.8 kg



**6011**

**4" Angle Grinder**  
4" 氣動砂輪機 (強力型)

- \* Free speed: 11,000 rpm
- \* Size of disk: 4"
- \* Spindle thread: 3/8"-24 / M10x1.5
- \* Air consumption: 3.5 cfm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.8 kg






**6010**

**4" Angle Grinder**  
4" 氣動砂輪機

- \* Free speed: 10,000 rpm
- \* Size of disk: 4"
- \* Spindle thread: M10x1.5
- \* Air consumption: 4.0 cfm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.1 kg



**6025**

**4" Axial Cutter / Grinder**  
4" 氣動砂輪機(加長型)

- \* Free speed: 11,000 rpm
- \* Size of disk: 4"
- \* Air consumption: 3.5 cfm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.23 kg



**6001**

**Air Saw**  
氣動鋸(一般型)

- \* Free speed: 9,000 rpm
- \* Capacity of cutting: 1.2 mm
- \* Stroke length: 10 mm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.1 kg



**6004**

**Spot Drill**  
槍型點焊去除鑽(附夾頭)

- \* Free speed: 1,600 rpm
- \* Bit size: 8 mm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 2.3 kg



**6003**

**Punch / Flange**  
氣動打孔折邊機

- \* Capacity of punching: 0.8-1.2 mm
- \* Punch diameter: 5.0 mm
- \* Flange width: 12 mm
- \* Air inlet: 1/4"
- \* Air pressure: 90 psi
- \* Weight: 1.3 kg

**6005****5" Air Polisher**  
5" 氣動打臘機 (塑鋼)

- \* Free speed: 11,000 rpm
- \* Orbital diameter: 5 mm
- \* Air inlet: 1/4"
- \* Operating pressure: 90 psi
- \* Pad size: 5"
- \* Weight: 0.42 kg

**6026****5" Gear Driver Sander**  
5" 氣動研磨機

- \* Free speed: 10,000 rpm
- \* Orbital diameter: 4.2 mm
- \* Air consumption: 1.6 cfm
- \* Air inlet: 1/4"
- \* Operating pressure: 90 psi
- \* Pad size: 5"
- \* Weight: 1.2 kg

**6027****5" Self-Vacuum Dust-Free Sander**  
5" 氣動吸塵研磨機

- \* Free speed: 10,000 rpm
- \* Orbital diameter: 4.2 mm
- \* Air consumption: 1.6 cfm
- \* Air inlet: 1/4"
- \* Operating pressure: 90 psi
- \* Pad size: 5"
- \* Weight: 1.2 kg

**6013****High Speed Sander**  
高速砂光機

- \* Free speed: 16,000 rpm
- \* Air inlet: 1/4"
- \* Operating pressure: 90 psi
- \* Pad size: Max. 5"
- \* Weight: 0.9 kg



6013

**6002****Air Eraser**  
氣動去膠輪機

- \* Free speed: 2,600 rpm
- \* Capacity of collet chuck: 5/16"-24
- \* Air inlet: 1/4"
- \* Air consumption: 3.5 cfm
- \* Air pressure: 90 psi
- \* Weight: 0.8 kg



6002



**6028 Twister Gun**  
龍捲風清潔槍

- \* Free speed: 4,000~8,000 rpm
- \* Air inlet: 1/4"
- \* O.P. pressure: 40-120 psi



**High Pressure Blow Gun (8mm)**  
耐高壓風槍

- \* With  $\phi$  8mm tube and tapered outlet for infinitely variable flow.
- \* Working pressure: under 15kg/cm<sup>2</sup>
- \* The handle made from special harden plastic.
- \* **6112** -- 100mm tube length, 1/4" inlet
- \* **6113** -- 280mm tube length, 1/4" inlet
- \* **6114** -- 580mm tube length, 1/4" inlet



**Eraser Pad**  
去膠輪片

- \* **6109** -- 3-8/15" screw arbor
- \* **6110** -- 3-8/15" rod arbor



**6111 Stripping Wheel**  
菜瓜布

- \* Pad size: 4-1/2"



**6108 Universal Joint**  
入風萬向接頭

- \* Air inlet size: 1/4" pt
- \* Revolve 360° in transverse or vertical way.
- \* Use under high pressure up to 15 kgf/cm<sup>2</sup>





**6107** Lubricating Oil  
氣動油

\* Volume: 250c.c.



**Pointed End Mill**  
點焊去除鑽頭

\* Material: HSCO

\* **6105** -- 6mm x 70mm(L)

**6106** -- 8mm x 80mm(L)



**Titanium-Plated Pointed End Mill**  
鍍鈦型點焊去除鑽頭

\* Material: HSCO / TIALN finished on front part.

\* Special material for using on steel sheet.

\* **6101** -- 6mm x 45mm(L)

**6102** -- 8mm x 45mm(L)

**6103** -- 6mm x 70mm(L)

**6104** -- 8mm x 80mm(L)





**Chisel ( for Air Hammer)**  
氣動鎚用鑿刀

\* **6115** -- Shape, 175mm(L)

**6116** -- Flat, 175mm(L)

**6117** -- Round raised  $\phi$  12, 115mm(L)







**4438** 1/2" Dr. Impact Socket  
1/2" 氣動套筒 (Cr-Mo)

ITEM NO.	SIZE (mm)	D1 (mm)	D2 (mm)	L (mm)
443808	08	15	24	38
443809	09	15	24	38
443810	10	17	24	38
443811	11	19	24	38
443812	12	20	24	38
443813	13	21	24	38
443814	14	22	24	38
443815	15	24	24	38
443816	16	24	24	38
443817	17	26	26	38
443818	18	28	28	38
443819	19	28	28	38
443820	20	30	30	38
443821	21	30	30	38
443822	22	32	30	38
443823	23	32	30	38
443824	24	34	30	38
443825	25	36	30	43
443826	26	36	30	43
443827	27	38	30	43
443828	28	40	30	48
443829	29	40	30	48
443830	30	42	30	48
443831	31	44	30	48
443832	32	44	30	48
443833	33	47	30	48
443834	34	47	30	48
443835	35	48	30	48
443836	36	49	30	48
443838	38	52	30	48
443839	39	54	44	48
443841	41	56	44	48
443846	46	60	44	48

**4478** 1/2" Dr. Deep Impact Socket  
1/2" 長型氣動套筒 (Cr-Mo)

ITEM NO.	SIZE (mm)	D1 (mm)	D2 (mm)	L (mm)
447808	08	15	24	78
447809	09	16	24	78
447810	10	17	24	78
447811	11	19	24	78
447812	12	20	24	78
447813	13	21	24	78
447814	14	22	24	78
447815	15	24	24	78
447816	16	24	24	78
447817	17	26	26	78
447818	18	28	28	78
447819	19	28	28	78
447820	20	30	30	78
447821	21	30	30	78
447822	22	32	30	78
447823	23	32	30	78
447824	24	34	30	78
447825	25	36	30	78
447826	26	36	30	78
447827	27	38	30	78
447828	28	40	30	78
447829	29	40	30	78
447830	30	42	30	78
447831	31	42	30	78
447832	32	44	30	78
447833	33	46	38	78
447834	34	47	38	78
447835	35	48	38	78
447836	36	49	38	78
447838	38	52	38	78
447839	39	54	38	78
447841	41	56	38	78
447846	46	60	38	78




**6451** 3/4" Dr. Impact Socket  
3/4"氣動套筒 (Cr-Mo)

ITEM NO.	SIZE (mm)	D1 (mm)	D2 (mm)	L (mm)
645117	17	30	38	51
645118	18	31	38	51
645119	19	32	38	51
645120	20	33	38	51
645121	21	34	38	51
645122	22	35	38	51
645123	23	36	38	51
645124	24	38	38	51
645125	25	38	38	51
645126	26	38	38	51
645127	27	40	40	53
645128	28	40	40	53
645129	29	42	42	53
645130	30	44	44	53
645131	31	47	44	53
645132	32	48	44	57
645133	33	48	44	57
645134	34	48	44	57
645135	35	50	44	57
645136	36	52	44	57
645137	37	52	44	57
645138	38	56	44	57
645139	39	58	44	57
645140	40	59	44	57
645141	41	60	44	57
645142	42	61	44	57
645143	43	63	44	62
645144	44	64	44	62
645145	45	65	44	62
645146	46	66	44	62
645147	47	68	44	67
645148	48	69	44	67
645149	49	70	44	72
645150	50	71	54	72
645151	51	73	54	72
645152	52	74	54	72
645153	53	75	54	72
645154	54	76	54	72
645155	55	78	54	74
645156	56	79	54	74
645157	57	80	54	74
645158	58	82	54	75
645159	59	83	54	75
645160	60	84	54	75
645163	63	88	54	75
645165	65	90	54	78
645167	67	93	54	80
645170	70	96	54	83

**6490** 3/4" Dr. Deep Impact Socket  
3/4"長型氣動套筒 (Cr-Mo)


ITEM NO.	SIZE (mm)	D1 (mm)	D2 (mm)	L (mm)
649017	17	30	44	90
649018	18	31	44	90
649019	19	33	44	90
649020	20	34	44	90
649021	21	35	44	90
649022	22	37	44	90
649023	23	38	44	90
649024	24	39	44	90
649025	25	40	44	90
649026	26	41	44	90
649027	27	43	44	90
649028	28	44	44	90
649029	29	45	44	90
649030	30	46	44	90
649031	31	48	44	90
649032	32	49	44	90
649033	33	51	44	90
649034	34	51	44	90
649035	35	53	44	90
649036	36	54	44	90
649037	37	55	44	90
649038	38	56	44	90
649039	39	58	44	90
649040	40	59	44	90
649041	41	60	44	90
649042	42	61	44	90
649043	43	63	44	90
649044	44	64	44	90
649045	45	65	44	90
649046	46	66	44	90
649047	47	68	44	90
649048	48	69	44	90
649050	50	71	54	90
649055	55	77	54	90
649060	60	83	54	90
649065	65	88	54	100




8458		1" Dr. Impact Socket		
		1" 氣動套筒 (Cr-Mo)		
ITEM NO.	SIZE (mm)	D1 (mm)	D2 (mm)	L (mm)
845817	17	33	54	58
845819	19	36	54	58
845820	20	37	54	58
845821	21	38	54	58
845822	22	39	54	58
845823	23	40	54	58
845824	24	42	54	58
845825	25	43	54	58
845826	26	44	54	58
845827	27	46	54	58
845828	28	47	54	58
845829	29	48	54	60
845830	30	49	54	60
845831	31	51	54	60
845832	32	52	54	60
845833	33	53	54	60
845834	34	54	54	62
845835	35	56	54	62
845836	36	57	54	65
845837	37	58	54	65
845838	38	59	54	65
845839	39	61	54	65
845840	40	62	54	65
845841	41	63	54	65
845842	42	64	54	68
845843	43	66	54	68
845844	44	67	54	68
845846	46	69	54	74
845847	47	71	54	74
845848	48	72	54	74
845849	49	73	54	74
845850	50	74	54	74
845851	51	76	54	80
845852	52	77	54	80
845853	53	78	54	80
845854	54	79	54	80
845855	55	81	54	85
845856	56	82	54	85
845857	57	83	54	85
845858	58	84	54	85
845859	59	86	54	85
845860	60	87	54	90
845862	62	89	54	90
845863	63	91	54	90
845865	65	93	54	90
845867	67	94	54	90
845868	68	97	54	90
845870	70	99	54	100
845873	73	103	86	100
845875	75	105	86	100
845876	76	107	86	100
845878	78	110	86	100
845880	80	112	86	100
845885	85	117	86	110
845889	89	123	86	110
845890	90	124	86	110
845892	92	127	86	110
845895	95	129	86	110

**8490****1" Dr. Deep Impact Socket**  
1"長型氣動套筒 (Cr-Mo)


ITEM NO.	D1 (mm)	D1 (mm)	D2 (mm)	L (mm)
849017	17	33	54	90
849019	19	36	54	90
849021	21	38	54	90
849022	22	39	54	90
849023	23	40	54	90
849024	24	42	54	90
849025	25	43	54	90
849026	26	44	54	90
849027	27	46	54	90
849028	28	47	54	90
849029	29	48	54	90
849030	30	49	54	90
849031	31	51	54	90
849032	32	52	54	90
849033	33	53	54	90
849034	34	54	54	90
849035	35	56	54	90
849036	36	57	54	90
849037	37	58	54	90
849038	38	59	54	90
849039	39	61	54	90
849040	40	62	54	90
849041	41	63	54	90
849042	42	64	54	90
849043	43	66	54	90
849044	44	67	54	90
849045	45	68	54	90
849046	46	69	54	90
849047	47	71	54	90
849048	48	72	54	90
849049	49	73	54	90
849050	50	74	54	90
849051	51	76	54	90
849052	52	77	54	90
849054	54	79	54	90
849055	55	81	54	90
849056	56	82	54	105
849057	57	83	54	105
849058	58	84	54	105
849059	59	86	54	120
649060	60	87	54	120
849063	63	91	54	120
849065	65	93	54	120
849068	68	97	54	120
849070	70	99	54	125
849075	75	105	86	125
849080	80	112	86	125
849085	85	117	86	140
849090	90	124	86	140





**8476** 1" Dr. Truck Impact Socket  
1"中長氣動套筒 (Cr-Mo)

ITEM NO.	SIZE (mm)	D1 (mm)	D2 (mm)	L (mm)
847624	24	38	52	76
847627	27	42	52	76
847630	30	45	52	76
847632	32	48	52	76
847633	33	49	52	76
847634	34	50	52	76
847635	35	52	52	76
847636	36	54	52	76
847638	38	56	52	76
847641	41	59	52	80



**8477** 1" Dr. Truck Nut Impact Socket  
1"中長型四角套筒 (Cr-Mo)

ITEM NO.	SIZE (mm)	D1 (mm)	D2 (mm)	L (mm)
847717	17	40.5	49	76
847719	19	43.0	49	76
847720	20	45.0	49	76
847721	21	47.0	49	76
847722	22	47.0	49	76

Square



**6491** 3/4" Dr. Square Budd Wheel Impact Socket  
3/4"中長型四角套筒

ITEM NO.	SIZE	D1/D2 (mm)	L (mm)
649117	17	35 / 40	90
649119	19	38 / 40	90
649120	20	39 / 40	90
649121	21	40 / 40	90



#A



#B

**Impact Universal Joint**  
氣動萬向接頭

ITEM NO.	SIZE (inch)	Dia. (mm)	L (mm)	TYPE
1120	1/4	14.0	31	#A
1203	3/8	24.0	54	#A
1004	1/2	27.5	64	#A
1004A	1/2	25.0	67	#B
6530	3/4	44.0	105	#B
6531	1	54.0	130	#B

### Impact Extension Bar 氣動接桿

ITEM NO.	SIZE	L
653203	1/2"Dr.	3" / 75mm
653205	1/2"Dr.	5" / 125mm
653210	1/2"Dr.	10" / 250mm
653304	3/4"Dr.	4" / 100mm
653308	3/4"Dr.	8" / 200mm
653310	3/4"Dr.	10" / 250mm
653313	3/4"Dr.	13" / 330mm
653316	3/4"Dr.	16" / 400mm
653404	1"Dr.	4" / 100mm
653408	1"Dr.	8" / 200mm
653410	1"Dr.	10" / 250mm
653413	1"Dr.	13" / 330mm
653416	1"Dr.	16" / 400mm



**6535**

### Impact Adaptor 氣動更換接頭 (Cr-Mo)

ITEM NO.	SPEC	Dia. (mm)	L (mm)
653523	F1/4"xM3/8"	14.1	26
653532	F3/8"xM1/4"	22	32
653534	F3/8"xM1/2"	22	32
653543	F1/2"xM3/8"	25	38
653546	F1/2"xM3/4"	30	48
653564	F3/4"xM1/2"	38	56
653568	F3/4"xM1"	34	63
653586	F1"xM3/4"	54	68



**6536**

### Impact Adaptor Set (6pcs) 氣動更換接頭組 (6pcs)

Contents:

- \* 1pc -- 1/4"(M)x3/8"(F)
- \* 1pc -- 1/2"(M)x3/8"(F)
- \* 1pc -- 3/4"(M)x1/2"(F)
- \* 1pc -- 3/8"(M)x1/4"(F)
- \* 1pc -- 3/8"(M)x1/2"(F)
- \* 1pc -- 1/2"(M)x3/4"(F)



### Metric Hex

**6537**

### 3/8"Dr. Metric Hex Impact Bit Socket 3/8"氣動六角凸頭套筒

ITEM NO.	SIZE	L (mm)
653704	4	52
653705	5	52
653706	6	52
653707	7	52
653708	8	52
653710	10	52
653712	12	52
653714	14	52





★ Tx-Star

**6538** 3/8"Dr. Tx-Star Impact Bit Socket  
3/8"氣動星型套筒

ITEM NO.	★ SIZE	L (mm)
653820	T20	52
653825	T25	52
653827	T27	52
653830	T30	52
653840	T40	52
653845	T45	52
653850	T50	52
653855	T55	52
653860	T60	52

◆ Metric Hex

**6539** 1/2"Dr. Metric Hex Impact Bit Socket  
1/2"氣動六角凸頭套筒



ITEM NO.	◆ SIZE	L (mm)
653904	4	60
653905	5	60
653906	6	60
653907	7	60
653908	8	60
653909	9	60
653910	10	60
653912	12	60
653914	14	60
653916	16	60
653917	17	60
653919	19	60
653922	22	60

◆ Metric Hex

**6540** 1/2"Dr. Metric Hex Impact Bit Socket  
1/2"氣動中長六角凸頭套筒



ITEM NO.	◆ SIZE	L (mm)
654004	4	78
654005	5	78
654006	6	78
654007	7	78
654008	8	78
654009	9	78
654010	10	78
654012	12	78
654014	14	78
654016	16	78
654017	17	78
654019	19	78
654022	22	78



★ Tx-Star

**6541** 1/2"Dr. Tx-Star Impact Bit Socket  
1/2"氣動星型套筒

ITEM NO.	★ SIZE	L (mm)
654125	T25	60
654127	T27	60
654130	T30	60
654140	T40	60
654145	T45	60
654150	T50	60
654155	T55	60
654160	T60	60
654170	T70	60
654180	T80	60



★ Tx-Star

**6542** 1/2"Dr. Tx-Star Impact Bit Socket  
1/2"氣動中長星型套筒

ITEM NO.	★ SIZE	L (mm)
654225	T25	78
654227	T27	78
654230	T30	78
654240	T40	78
654245	T45	78
654250	T50	78
654255	T55	78
654260	T60	78
654270	T70	78
654280	T80	78



◆ Metric Hex

**A307H** 3/8" Metric Hex Impact Bit Socket Set (7pcs)  
3/8"氣動六角凸頭套筒組 (7pcs)

Contents: 4, 5, 6, 7, 8, 10, 12mm; 52mm(L).



★ Tx-Star

**A307T** 3/8" Tx-Star Impact Bit Socket Set (7pcs)  
3/8"氣動星型套筒組 (7pcs)

Contents: T25, T27, T30, T40, T45, T50, T55; 52mm(L)





◆ Metric Hex

**A409H** 1/2" Dr. Hex Impact Bit Socket Set (9pcs)  
1/2" 氣動六角凸頭套筒組 (9pcs)

Contents: 5, 6, 7, 8, 9, 10, 12, 14, 17mm; 60mm(L).



◆ Metric Hex

**A409LH** 1/2" Dr. Hex Impact Bit Socket Set (9pcs)  
1/2" 氣動中長六角凸頭套筒組 (9pcs)

Contents: 5, 6, 7, 8, 9, 10, 12, 14, 17mm; 78mm(L)



★ Tx-Star

**A409T** 1/2" Tx-Star Impact Bit Socket Set (9pcs)  
1/2" 氣動星型套筒組 (9pcs)

Contents: T27, T30, T40, T45, T50, T55, T60, T70, T80H; 60mm(L)



★ Tx-Star

**A409LT** 1/2" Tx-Star Impact Bit Socket Set (9pcs)  
1/2" 氣動中長星型套筒組 (9pcs)

Contents: T27, T30, T40, T45, T50, T55, T60, T70, T80H; 78mm(L)